

**OFFICE OF THE CHIEF OFFICER
NOTIFIED AREA AUTHORITY**

Plot No. 618, 619, AIA Community Centre,
GIDC, Ankleshwar - 393 002.
☎ : (02646) 253094, 222487 Fax : 251750

**મુખ્ય અધિકારીશ્રીની કચેરી
નિર્દિષ્ટ વિસ્તાર**

પ્લોટ નં. ૬૧૮, ૬૧૯, એ.આઈ.એ. કોમ્યુનિટી સેન્ટર,
જી.આઈ.ડી.સી., અંકલેશ્વર-૩૯૩૦૦૨.
☎ : (૦૨૬૪૬) ૨૫૩૦૯૪, ૨૨૨૪૮૭ ફેક્સ : ૨૫૧૭૫૦

Ref. No. : N.T.A./ANK/ -3074

Date : - -20
12 SEP 2024

TO WHOMSOEVER IT MAY CONCERN

It is certified that an inspection team headed by **Chief Officer** from Notified Area, GIDC, Ankleshwar inspected the Shree Swaminarayan Gurukul Public School-CBSE, Plot No.508, GIDC, Ankleshwar on dt. 02/09/2024 and found that Shree Swaminarayan Gurukul Public School-CBSE Plot No.508 GIDC Estate Ankleshwar has safe drinking water facilities for the students and members of staff of the institution and is maintaining the hygienic sanitation condition in the school building and the campus as per norms prescribed by the State Govt.

This certificate valid up to one year from the date of issue.


Chief Officer,
Notified Area,
GIDC, Ankleshwar.

To
Shree Swaminarayan Gurukul Public School-CBSE,
Plot No.508, GIDC, Ankleshwar